

SOME ADDED THOUGHTS ON DENMAR COLORED SANITORIUM

I, Winfield K. Davis started work at Denmar Sanitorium in 1929, under the administration of Dr B. Crichlow. My position was in building maintenance. At the end of several months I was transferred to work with the electrical company contracted to change the Denmar electrical system from direct current to alternating current. When this was accomplished, I returned to Denmar Hospital maintenance, upgraded to Maintenance Supervisor, responsible for the building repairs and alterations, the distribution of the maintenance budget, the hiring of maintenance personnel and the overall direction of the operations and maintenance of the entire hospital complex.

The write up of July 28, 1983 was very good, a few errors are evident. I would grade the article at least a C+.

I arrived at Denmar in 1929, ten years after the institution was opened and worked through August 1957. The Superintendent was Dr. B. A. Crichlow, his assistant was Dr. Hayden, both from Charleston. The theory of treatment then was rest, food and fresh air.

The lumber company's boarding house had been converted into a 2½ story main hospital building. The ground floor housed the kitchen, patient dining room and two office rooms. The seriously ill patients occupied the second and half story attic floors. Added to this building on the south side were sleeping quarters for patients. There was an excavation made under the building to accommodate a large cast iron sectional boiler and brick chimney.

The row of five room cottages was converted into patient quarters by connecting two with sleeping porches between. The cottages were used for lounging and dressing purposes. All patients slept on the porches with large windows that most of the time remained open. The patients were covered with heavy woolen blankets for warmth. In this row were two female cottages and two, matron supervised cottages for children.

Up from the cottage row was a small building used by the lumber company as a church. Later use was as a school. The main road into and through the

grounds to the railroad was lined on both sides with company housing. The first house at the end facing the railroad was Assistant Superintendent residence. On the north side of this home was a cottage used as a nurses home. Other cottages were converted into quarters for male patients with the accommodating sleeping areas added. The farm supervisor had a cottage. I used the first cottage at the entrance gate as my residence.

The third row of cottages, one was used by Clarence Smith, undertaker, who had the contract for embalming the deceased of the institution. Two buildings were used for general storage and two as Huttonsville trustee inmate quarters. The first dairy facility set back in a field toward Beard on the second level.

Directly across the road from the assistant superintendent's home was a mule barn. In those days mules were used for farming. One huge team was purchased from the contractors who were grading the road bed for U S 219 through our county.

The configuration of the land of Denmar consists of three levels. The first level is the site of the present hospital, second level was the site of the original hospital, the third level was the site of a storage building, railroad depot, post office and the fertile fields across the railroad tracks. The old ice house mentioned in the previous article remained in use until 1931.

The first mechanical refrigeration was installed through Harry Cochran, who was in charge of the Monongalia Power Company. It was a walk-in type, 35° cooler system.

The portion left of the old mill building was used to store hay and straw for the dairy area and hog pen bedding. Later the mules were replaced by Farm-All tractors with steel wheels and cleats for traction.

The State purchased a pedigree Holstein bull to service the dairy herd. A good blood line of cattle assured the maintenance of Class A stock and reliable dairy products. The dairy line began to enlarge necessitating the forty foot extension to the dairy building. It consisted of extra milking

stalls, two large bull stanchions and a huge silo. The next addition to the dairy was a pasteurizing and bottling plant. With an upright higher pressure boiler to power the pasteurizing, homogenizing and bottle washing equipment. I believe it is correct to say this was the first pasteurization plant in Pocahontas County. Zed Smith operated a large dairy and delivered milk to the City of Marlinton and the surrounding area at the time the equipment was installed at Denmar. His milk, I believe, was unpasteurized. Along with the pasteurizing equipment was installed a large walk-in cooler to maintain the milk after processing. Also in the area was installed the first deep freeze for storing meat and perishable items. The third major addition to the dairy complex, of my design was a large lofting and roughage feeding stall area, utilized after milkings.

In the late 1930's during the PWA and WPA Administration we went to battle for a new sanitarium building. The main people at Denmar to help accomplish this feat were Dr. S. Bampffield, Superintendent, Mr R. J. Roane, Financial Secretary and W. K. Davis O&M Engineer, along with J. Burdette and Col. White of the State Board of Control. After going through the legislative process, it was finally decided to match the Federal Government grant with State funds to construct the first unit. The building designed to be of three sections, a 300 bed capacity hospital. The first section housed 100 patients with the center portion of the fourth floor used as nurses quarters and extended from each side of this center section were patient sun decks. The basement level housed the kitchen and personnel dining room, a small room with a distillery for processing sterile water and a large hall which was the rear entrance to the building. This entrance was the most used as the building faced the Greenbrier River and the access road passed to the rear of the building. There was a large room intended to be used as a laundry which was split into three sections. One section was used as a commissary for sundry items sold to the patients. This was operated in partnership between Eva Smith, House Preceptress and WK Davis. This store gave 50% of the profits to a fund for needy patients enabling them to purchase necessary items not



provided by the hospital. We operated the store for many years until Mrs. Smith left the facility and I continued the operation until 1957. The second room housed the main electrical panels and some storage. The rest of the area (largest part) was used by patients and staff for religious services and social functions. There were two bedrooms at each end of the floor used by maids.

The sub-basement housed the central power plant. Equipped with two low pressure boilers of 15 lb pressure rating. At a later date a furnace was installed in the area with a shaft extending to the third floor with openings on each floor utilized to rid the floors of burnable, disposable refuse. The sub-basement was equipped with a grated air vent which was not satisfactory, it did not eliminate the hazzardest conditions to the furnace firemen. This grating was replaced with a thirty inch diameter steel tubular unit running the full height of the building for a good draft to get rid of the gases created by the coal fired boiler. A unit was also installed to attempt to reduce the spread of fly ash over the buildings and grounds. After this unit was installed we found it interferred with the efficiency of the boilers. The baffles in the unit were removed so the flu would continue its natural draft.

Later boilers were equipped with stokers including the feeding worm extending from the coal bin to the furnace.

The next major improvement in buildings was the addition of a nurses home to the west of the main building. The co-designer was Mary Truss Davis, Supervisor of nurses. Included in the building was a two room , with bath, apartment for the head nurse. Later a compact equipped kitchen was added to this unit. A large recreation area was also at this end of the building. The nurses rooms extended the length of the rest of the building on a central hall with rooms on each side. At the same time two cottages were built beyond the nurses building to house the superintendent and the financial secretary. These with the nurses building were heated by steam from the main hospital building.

The second phase of buildings were constructed from salvaged materials of mill cottages. A two story building with rooms for personnel utilizing

a common bath on each floor, a three room apartment with bath was part of the building. This building was heated with a coal burning cast iron furnace and there was a furnace fired hot water tank.

A road was built of crushed rock running off the main road between the superintendent and finance secretary's quarters.

A mule barn was also built from salvage materials. There was a hog lot built beside the mule barn and a small cutting and curing building for processing meat.

Across from these buildings was built a four room with bath residence for the farm supervisor. Heat and hot water were generated from a basement furnace. Beyond these facilities was the cemetery on the State land adjacent to Beard land.

The laundry for years was contracted out to laundries in Ronceverte and Elkins. The next building phase done, with prison labor, was a fully equipped laundry especially for laundering the hospital items. The installed equipment included the latest American Laundry Machine products, consisting of two tubs, a medium sized extractor, a two person flat work ironer and four steam operated presses. All powered by a 20 horsepower upright high pressure steam boiler. This building had an attic and an end storage room. Later a twenty foot extension was added equipped with Hoffman Laundry and Dry Cleaning products, purchased from the U S Surplus store at Dunbar.

The personnel quarters were moved farther down in order to utilize the area for a one story building to house male personnel. This building was U shaped with the right wing converted into two apartments for doctors and the dietitian. The balance of the building was used by personnel. A small mechanical room was under the left wing into which, extended from the main building, were heat ducts. Beside the male building, also constructed out of salvaged lumber, was erected a recreation building.

Another major accomplishment was the building of a new water system, eliminating deep wells, to use modern filtering and treatment plant instead.

for the water supply pumped from the Greenbrier River. PH tests were made daily at the main hospital building to assure purity and safety. A six inch cast iron pipe with mechanical joints was laid from the treatment plant to a 150,000 gallon steel water storage tank that was placed high enough to assure adequate gravity pressure to the hospital complex and high pressure fire hydrants. Next was constructed West Virginia's first sewage lagoon to have the most modern sewage treatment system.

A vehicle garage and mechanical shop was built next to the laundry facility

All of the complex roadbeds including the circular driveway in the rear of the main building, the large parking areas and parking areas for various other buildings were constructed of crushed rocks from the Greenbrier River utilizing prison trustee labor.

In the early 1950's the second 100 bed, three story high wing of the hospital building was erected, including a half basement. The basement housed a record storage room, building mechanical shop, two diesel engine powered emergency electrical generators, an autopsy room, a two body refrigerated vault and some general short time storage, in open spaces. A few months after the completion of this wing I supervised the excavating under the remainder of the building. This done with hand labor in such a manner the structural soundness of the building was not weakened. This portion of the basement was used for staple food storage and included a large freezer for perishable food storage.

We also revamped the medical operating facility replacing the old X-ray machine with the latest X-ray equipment. The old X-ray machine was dismantled and reworked into a fluoroscope. Replaced the low pressure autoclave with a modern high pressure five minute sterilizing unit.

All things did not emerge without some setbacks. This is a case in point. When the planning and designing of the second wing was in progress, I as the hospital complex operations and maintenance supervisor requested a high pressure boiler be installed for this wing. The boiler was not installed



or during the erection of the wing. Walls had to be opened and a space dug out of the driveway in order to install this third boiler in the sub-basement of the main wing. It was noticed a low pressure boiler had been delivered. The contractor was questioned. His reply was "that is what is called for on the architect's design." The contractor installed the boiler, resealed the walls and refinished the driveway. After a long delay hassling with the State building and contract engineers, once more the walls were opened, the driveway torn up, the low pressure boiler removed, the high pressure boiler installed, the walls and driveway returned to the original state. The end result was the State had to pay out an additional 25,000 dollars because some one did not heed the request of the operations and maintenance supervisor. The new equipment in the new wing was high pressure equipment and it would take a high pressure boiler to operate it.

It may seem this article rambles and returns, not really, the accomplishments listed are chronological, having been completed in the span of 28 years. During my tenure at Denmar many things were accomplished. The installation of safety and security alarm systems, inner office and floor communication systems, ice making machines on the floors and in the kitchen areas, moved laboratory to the basement of the second wing. Numerous other installations and improvements were made. The third wing of the main hospital building has never been added.

Portions of the new construction, changing a lumber company's logging camp and lumber mill into a hospital complex was accomplished under my supervision by contractors, maintenance personnel, and prison trustee labor. The hospital staff personnel were all highly qualified for their positions and very supportive of suggestions for changes, additions or deletions proposed by me to make the hospital's operation run as smoothly as possible.

My tenure ended in August 1957.

Winfield K. Davis





which had 12 stables and  
illustration tower, plus 2  
stables underground. This  
was Cleveland's sky-  
scraper.

He came to Denmar in  
1929 and has been a resi-  
dent of Pocahontas County  
since, working some years  
at Lake after Denmar.

#### Denmar Colored Sanitarium

L. Winfield K. Davis,  
started work at Denmar  
Sanitarium in 1929, under  
the administration of Dr. B.  
Crichlow. My position was  
in building maintenance.  
At the end of several  
months I was transferred to  
work with the electrical  
company contracted to  
change the Denmar electri-  
cal system from direct cur-  
rent to alternating current.  
When this was accom-  
plished, I returned to Den-  
mar Hospital maintenance,  
upgraded to Maintenance  
Supervisor, responsible for  
the building repairs and  
alterations, the distribution  
of the maintenance budget,  
the hiring of maintenance  
personnel and the overall  
direction of the operations  
and maintenance of the  
entire hospital complex.

I arrived at Denmar in  
1929, ten years after the  
institution was opened and  
worked through August,  
1957. The Superintendent  
was Dr. B. A. Crichlow, his  
assistant was Dr. Hayden,  
both from Charleston. The  
theory of treatment then  
was rest, food and fresh air.

The lumber company's  
boarding house had been  
converted into a 2½ story  
main hospital building. The  
ground floor housed the  
kitchen, patient dining  
room and two office rooms.  
The seriously ill patients  
occupied the second and  
half story attic floors. Add-

through Harry Cochran,  
who was in charge of the  
Monongahela Power Com-  
pany. It was a walk-in type,  
32° cooler system.

The portion left of the old  
mill building was used to  
store hay and straw for the  
dairy area and hog pen  
bedding. Later the mules  
were replaced by Farm-All  
tractors with steel wheels  
and cleats for traction.

The State purchased a  
pedigree Holstein bull to  
service the dairy herd. A  
good blood line of cattle  
assured the maintenance of  
Class A stock and reliable  
dairy products. The dairy  
line began to enlarge ne-  
cessitating the forty-foot  
extension to the dairy  
building. It consisted of  
extra milking stalls, two  
large bull stanchions and a  
huge silo. The next addition  
to the dairy was a pasteur-  
izing, homogenizing and  
bottle washing equipment.  
I believe it is correct to say  
this was the first pasteur-  
ization plant in Pocahontas  
County. Along with the  
pasteurizing equipment  
was installed a large walk-  
in cooler to maintain the  
milk after processing. Also  
in the area was installed the  
first deep freeze for storing  
meat and perishable items.  
The third major addition to  
the dairy complex, of my  
design was a large lofting  
and roughage feeding stall  
area, utilized after milk-  
ings.

In the late 1930's during  
the PWA and WPA Admin-  
istration we went to battle  
for a new sanitarium build-  
ing. The main people at  
Denmar to help accomplish  
this feat were Dr. S. Bamp-  
field, Superintendent, Mr.  
R. J. Roane, Financial Sec-  
retary, and W. K. Davis,  
O&M Engineer, along with  
J. Burdette and Col. White

interfered with the effi-  
ciency of the boilers. The  
baffles in the unit were  
removed so the flue would  
continue its natural draft.

Later boilers were equip-  
ped with stokers including  
the feeding worm extend-  
ing from the coal bin to the  
furnace.

The next major improve-  
ment in buildings was the  
addition of a nurses home  
to the west of the main  
building. The co-designer  
was Mary Truss Davis,  
Supervisor of nurses. In-  
cluded in the building was a  
two-room, with bath, apart-  
ment for the head nurse.  
Later, a compact equipped  
kitchen was added to this  
unit. A large recreation  
area was also at this end of  
the building. The nurses'  
rooms extended the length  
of the rest of the building  
on a central hall with rooms  
on each side. At the same  
time two cottages were  
built beyond the nurses  
building to house the su-  
perintendent and the finan-  
cial secretary. These, with  
the nurses building, were  
heated by steam from the  
main hospital building.

The second phase of  
buildings was constructed  
from salvaged materials of  
mill cottages. A two story  
building with rooms for  
personnel utilizing a com-  
mon bath on each floor, a  
three-room apartment with  
bath was part of the build-  
ing. This building was heat-  
ed with a coal burning cast  
iron furnace and there was  
a furnace fired hot water  
tank.

A road was built of  
crushed rock running off  
the main road between the  
superintendent's and fi-  
nancial secretary's quarters.

A mule barn was also  
built from salvage materi-

All of the complex road-  
beds, including the circular  
driveway in the rear of the  
main building, the large  
parking areas and parking  
areas for various other  
buildings, were constructed  
of crushed rocks from the  
Greenbrier River, utilizing  
prison trustee labor.

In the early 1950's the  
second 100 bed, three story  
high wing of the hospital  
building was erected, in-  
cluding a half basement.  
The basement housed a  
record storage room, build-  
ing mechanical shop, two  
diesel engine powered  
emergency electrical gen-  
erators, an autopsy room, a  
two-body refrigerated vault  
and some general short  
time storage in open  
spaces. A few months after  
the completion of this wing  
I supervised the excavating  
under the remainder of the  
building. This was done  
with hand labor in such a  
manner that the structural  
soundness of the building  
was not weakened. This  
portion of the basement  
was used for staple food  
storage and included a  
large freezer for perishable  
food storage.

We also revamped the  
medical operating facility,  
replacing the old X-ray  
machine with the latest  
X-ray equipment. The old  
X-ray machine was dis-  
mantled and reworked into  
a fluoroscope. The low  
pressure autoclave was re-  
placed with a modern high  
pressure five minute steri-  
lizing unit.

All things did not emerge  
without some setbacks.

This is a case in point.  
When the planning and  
designing of the second  
wing was in progress, I, as  
the hospital complex oper-  
ations and maintenance

supervisor, requested a

Books from the Shell Oil  
Company to individuals in-  
terested in car care and  
maintenance.

To receive a free set of  
these booklets, call  
348-8860 (Charleston) or  
toll-free 1/800/642-9012.

#### Public Service Commission of West Virginia Charleston

Entered by the PUBLIC SERV-  
ICE COMMISSION OF WEST  
VIRGINIA, at the Capitol in the  
City of Charleston on the 1st day  
of September, 1983.

CASE NO. 83-396-T-T  
TELEPHONE UTILITIES OF  
WEST VIRGINIA,  
a corporation.

Tariff filing to establish the  
Snowshoe Exchange, and for  
approval of rates and charges  
therefor, including Toll Re-  
stricted Service, Local Mea-  
sured Service and Toll Discount  
Service.

#### ORDER ADVANCING HEARING DATE

On August 9, 1983, Telephone  
Utilities of West Virginia, a  
corporation, Maestown, Preston  
County, tendered for filing re-  
vised tariff sheets reflecting in-  
creased rates and charges of  
approximately \$70,391 annually,  
for establishing and providing  
telephone service to approxima-  
tely 700 subscribers in the Marl-  
inton and Snowshoe exchange  
areas, to become effective Sep-  
tember 8, 1983.

By order entered herein on  
August 31, 1983, the Commission  
ordered that Telephone Utilities of  
West Virginia, a corporation, be  
made respondent to this proceed-  
ing, and, pending investigation,  
hearing and decision, the afore-  
said revised tariff was suspended  
and the use of the rates and  
charges stated therein deferred  
until 12:01 a.m., January 7, 1984,  
unless otherwise ordered by the  
Commission. By this same order,  
the matters involved herein were  
set for hearing to be held in  
Marlinton, West Virginia, on  
Monday, September 26, 1983.

The Commission is now of the  
opinion that the hearing on this  
matter should be advanced.

IT IS, THEREFORE, OR-  
DERED that the hearing on this  
matter originally scheduled for  
September 26, 1983, be, and the  
same hereby is, cancelled.

IT IS FURTHER ORDERED

that the hearing be held on the  
Water Act (Pub. L. 95-217) to  
assure orderly construction of cost  
effective environmentally accept-  
able waste water treatment sys-  
tems. The facility plan presents  
recommendations for sewage col-  
lections and treatment systems  
considered necessary to meet  
these goals.

To help insure a successful  
facility process, public interest  
and participation of citizens of the  
Town and surrounding area is  
encouraged. Public comments  
will be received at the meeting to  
be held at 7:30 p. m., September  
29, 1983, at the Fire Department  
Building in Hillsboro.

Written comments are welcome  
and will be received one week  
following the hearing.

TOWN OF HILLSBORO,  
WEST VIRGINIA

John Kinnison, Mayor

#### STATEMENT OF NONDISCRIMINATION

The Telephone Utilities of West  
Virginia, Inc., has filed with the  
Federal Government a Compli-  
ance Assurance in which it as-  
sures the Rural Electrification  
Administration that it will comply  
fully with all requirements of Title  
VI of the Civil Rights Act of 1964  
and the Rules and Regulations of  
the Department of Agriculture  
issued thereunder, to the end that  
no person in the United States  
shall, on the ground of race, color,  
or national origin, be excluded  
from participation in, be denied  
the benefits of, or be otherwise  
subjected to discrimination in the  
conduct of its program and the  
operation of its facilities. Under  
this assurance, this organization  
is committed not to discriminate  
against any person on the ground  
of race, color or national origin in  
its policies and practices relating  
to applications for service or any  
other policies and practices relat-  
ing to treatment of beneficiaries  
and participants including rates,  
conditions and extension of ser-  
vice, use of any of its facilities,  
attendance at and participation in  
any meetings of beneficiaries and  
participants or the exercise of any  
rights of such beneficiaries and  
participants in the conduct of the  
operations of this organization.

Any person who believes him-  
self, or any specific class of  
individuals, to be subjected by  
this organization to discrimination  
prohibited by Title VI of the Act  
and the Rules and Regulations  
issued thereunder may, by him-  
self or a representative, file with

to be  
ac-  
coun-  
t-  
the  
this  
1983.  
eadows  
mission  
County,  
Virginia  
a. Deputy



### Know Your Neighbors

This is Winfield Kirk Davis, of Route 1, Marlinton. He and his wife, Mary Truss Davis, are now retired.

From 1929 to 1965 Mr. Davis was employed as an engineer for the State of West Virginia at Denmar and Lakin State Hospitals. He told us many interesting things about his association with Denmar and with its growth, so we asked him to write about it, and we print his story herewith.

Mr. Davis was born in Catlettsburg, Kentucky, the son of Victoria and Kirk Davis. He went out on his own at twelve years of age, going to Cincinnati, where he made his own living by selling the Cincinnati Post, morning paper, Cincinnati Star, the noon paper, and Cincinnati Inquirer, the evening paper.

At 14 he went to Cleveland and learned his trade by working on the Union Terminal Tower Building, which had 52 stories and observation tower, plus 3 stories underground. This was Cleveland's sky-

ent residence. On the north side of this home was a cottage used as a nurses home. Other cottages were converted into quarters for male patients with the accommodating sleeping areas added. The farm supervisor had a cottage. I used the first cottage at the entrance gate as my residence.

The third row of cottages, one was used by Clarence Smith, undertaker, who had the contract for embalming the deceased of the institution. Two buildings were used for general storage and two as Huttonsville trustee inmate quarters. The first dairy facility set back in a field toward Beard on the second level.

Directly across the road from the assistant superintendent's home was a mule barn. In those days mules were used for farming. One huge team was purchased from the contractors who were grading the road bed for U.S. 219 through our county.

The configuration of the land of Denmar consists of three levels. The first level is the site of the present hospital, second level was the site of the original hospital, the third level was the site of a storage building, railroad depot, post office and the fertile fields across the railroad tracks. The old ice house mentioned in the previous article remained in use until 1931.

The first mechanical refrigeration was installed through Harry Cochran, who was in charge of the Monongahela Power Com-

in partnership between F. Smith, House Preceptor and W. K. Davis. This store gave 50% of the profits to fund for needy patients enabling them to purchase necessary items not provided by the hospital. He operated the store many years until Smith left the facility and continued the operation until 1957. The second housed the main electrical panels and some stores. The rest of the area (large part) was used by patients and staff for religious services and social functions. There were two buildings at each end of the road used by maids.

The sub-basement housed the central plant, equipped with low pressure boiler, lb. pressure rating. Later date a furnace installed in the area shaft extending to the floor with openings floor utilized to floors of burnable, able refuse. The system was equipped with grated air vent which was not satisfactory. It eliminated the hazardous conditions to the firemen. This grate replaced with a three diameter steel tube running the full length of the building for draft to get rid of the created by the coal boiler. A unit was installed to attempt to reduce the spread of over the building grounds. After this was installed we found it interfered with the efficiency of the boiler.



He told us many interesting things about his association with Denmar and with its growth, so we asked him to write about it, and we print his story herewith.

Mr. Davis was born in Catlettsburg, Kentucky, the son of Victoria and Kirk Davis. He went out on his own at twelve years of age, going to Cincinnati, where he made his own living by selling the Cincinnati Post, morning paper, Cincinnati Star, the noon paper, and Cincinnati Inquirer, the evening paper.

At 14 he went to Cleveland and learned his trade by working on the Union Terminal Tower Building, which had 52 stories and observation tower, plus 3 stories underground. This was Cleveland's skyscraper.

He came to Denmar in 1929 and has been a resident of Pocahontas County since, working some years at Lakin after Denmar.

#### Denmar Colored Sanitorium

I, Winfield K. Davis, started work at Denmar Sanitorium in 1929, under the administration of Dr. B. Crichtlow. My position was in building maintenance. At the end of several months I was transferred to work with the electrical company contracted to change the Denmar electrical system from direct current to alternating current. When this was accomplished, I returned to Denmar Hospital maintenance, upgraded to Maintenance Supervisor, responsible for the building repairs and alterations, the distribution of the maintenance budget, the hiring of maintenance personnel and the overall

huge team was purchased from the contractors who were grading the road bed for U.S. 219 through our county.

The configuration of the land of Denmar consists of three levels. The first level is the site of the present hospital, second level was the site of the original hospital, the third level was the site of a storage building, railroad depot, post office and the fertile fields across the railroad tracks. The old ice house mentioned in the previous article remained in use until 1931.

The first mechanical refrigeration was installed through Harry Cochran, who was in charge of the Monongahela Power Company. It was a walk-in type, 35° cooler system.

The portion left of the old mill building was used to store hay and straw for the dairy area and hog pen bedding. Later the mules were replaced by Farm-All tractors with steel wheels and cleats for traction.

The State purchased a pedigree Holstein bull to service the dairy herd. A good blood line of cattle assured the maintenance of Class A stock and reliable dairy products. The dairy line began to enlarge necessitating the forty-foot extension to the dairy building. It consisted of extra milking stalls, two large bull stanchions and a huge silo. The next addition to the dairy was a pasteurizing, homogenizing and bottle washing equipment. I believe it is correct to say this was the first pasteurization plant in Pocahontas County. Along with the pasteurizing equipment

shaft extending floor with open floor utilized floors of burnable refuse. ment was segregated air v not satisfactory eliminate conditions firemen. They replaced with diameter st running through the building draft to get created by boiler. A installed to reduce the spread over the grounds. was installed interfered efficiency of baffles in removed so continue it

Later be ped with the feeding ing from furnace.

The ne ment in addition to the w building. was Mar Supervisor cluded in two-room, ment for Later, a kitchen w unit. A area was a the building rooms exte of the rest on a centra on each side time two built beyo building to perintendential secreta the nurses



I, Winfield K. Davis, started work at Denmar Sanatorium in 1929, under the administration of Dr. B. Crichlow. My position was in building maintenance. At the end of several months I was transferred to work with the electrical company contracted to change the Denmar electrical system from direct current to alternating current. When this was accomplished, I returned to Denmar Hospital maintenance, upgraded to Maintenance Supervisor, responsible for the building repairs and alterations, the distribution of the maintenance budget, the hiring of maintenance personnel and the overall direction of the operations and maintenance of the entire hospital complex.

I arrived at Denmar in 1929, ten years after the institution was opened and worked through August, 1957. The Superintendent was Dr. B. A. Crichlow, his assistant was Dr. Hayden, both from Charleston. The theory of treatment then was rest, food and fresh air.

The lumber company's boarding house had been converted into a 2 1/4 story main hospital building. The ground floor housed the kitchen, patient dining room and two office rooms. The seriously ill patients occupied the second and third story attic floors. Add-

and cleats for traction.

The State purchased a pedigree Holstein bull to service the dairy herd. A good blood line of cattle assured the maintenance of Class A stock and reliable dairy products. The dairy line began to enlarge necessitating the forty-foot extension to the dairy building. It consisted of extra milking stalls, two large bull stanchions and a huge silo. The next addition to the dairy was a pasteurizing, homogenizing and bottle washing equipment. I believe it is correct to say this was the first pasteurization plant in Pocahontas County. Along with the pasteurizing equipment was installed a large walk-in cooler to maintain the milk after processing. Also in the area was installed the first deep freeze for storing meat and perishable items. The third major addition to the dairy complex, of my design was a large lofting and roughage feeding stall area, utilized after milkings.

In the late 1930's during the PWA and WPA Administration we went to battle for a new sanitarium building. The main people at Denmar to help accomplish this feat were Dr. S. Bampfield, Superintendent, Mr. R. J. Roane, Financial Secretary, and W. K. Davis, O&M Engineer, along with J. Burdette and Col. White

ment in addition to the building. was Ma Supervis cluded in two-room ment for Later, a kitchen unit. A area was the build rooms ex of the re on a cent on each time tw built be building perinten cial secr the nurs heated b main hos

The buildings from sal mill cott building persone mon batl three-roo bath was ing. This ed with s iron furn a furnac tank.

A roa crushed the main superinte nance sec

A mul built from

ence. On the north  
is home was a  
ed as a nurses  
er cottages were  
into quarters for  
its with the ac-  
ing sleeping  
d. The farm  
ad a cottage. I  
cottage at the  
e as my resi-

row of cot-  
was used by  
th, undertak-  
e contract for  
deceased of  
Two build-  
for general  
we as Hut-  
tee inmate  
first dairy  
in a field  
the second

e the road  
il superin-  
as a mile  
eye smiles  
ning. One  
purchased  
sore who  
road had  
ough our

n of the  
nists of  
not level  
present  
vel was

in partnership between Eva  
Smith, House Preceptress,  
and W. K. Davis. This store  
gave 50% of the profits to a  
fund for needy patients  
enabling them to purchase  
necessary items not provid-  
ed by the hospital. We  
operated the store for  
many years until Mrs.  
Smith left the facility and I  
continued the operation un-  
til 1957. The second room  
housed the main electrical  
panels and some storage.  
The rest of the area (largest  
part) was used by patients  
and staff for religious serv-  
ices and social functions.  
There were two bedrooms  
at each end of the floor  
used by maids.

The sub-basement  
housed the central power  
plant, equipped with two  
low pressure boilers of 15  
lb. pressure rating. At a  
later date a furnace was  
installed in the area with a  
shaft extending to the third  
floor with openings on each  
floor utilized to rid the  
floors of burnable, dispos-  
able refuse. The sub-base-  
ment was equipped with a  
grated air vent which was  
not satisfactory. It did not  
eliminate the hazardous  
conditions to the furnace

added, equipped with Hoff-  
man Laundry and Dry  
Cleaning products, pur-  
chased from the U.S. Sur-  
plus store at Dunbar.

The personnel quarters  
were moved farther down  
in order to utilize the area  
for a one story building to  
house male personnel. This  
building was U-shaped with  
the right wing converted  
into two apartments for  
doctors and the dietitian.  
The balance of the building  
was used by personnel. A  
small mechanical room was  
under the left wing into  
which, extended from the  
main building, were heat  
ducts. Beside the male  
building, also constructed  
out of salvaged lumber,  
was erected a recreation  
building.

Another major accom-  
plishment was the building  
of a new water system,  
eliminating deep wells, to  
use modern filtering and  
treatment plant for the  
water supply pumped from  
the Greenbrier River. PH  
tests were made daily at the  
main hospital building to  
assure purity and safety. A  
six inch cast iron pipe with  
mechanical joints was laid  
from the treatment plant to  
a 150,000 gallon steel water  
storage tank that was plac-

was high pressu-  
ment and it wou  
high pressure  
operate it.

It may seem t  
rambles and re  
not really; the a  
ments listed are  
cal, having been  
in the span of  
During my ten  
mar many thin  
complished. T  
tion of safety  
alarm systems,  
and floor co  
systems, ice  
chines on the  
the kitchen a  
tory moved to  
of the second  
erous other  
and improv  
made. The  
the main hos  
has never be

Portions of  
struction, ch  
ber compa  
camp and lu  
hospital cor  
complished  
supervision  
maintenan  
and prison  
The hospital  
were all high  
their posit  
supportive  
for changes  
deletions p



Two build-  
for general  
as Hut-  
ee inmate  
first dairy  
in a field  
the second

the road  
superin-  
is a mule  
s mules  
ing. One  
rchased  
s who  
ad bed  
gh our

of the  
ists of  
a level  
resent  
d was  
iginal  
d was  
built-  
post  
fields  
racks.  
mon-  
s with  
unit  
al re-  
stalled  
ultant,  
of the  
Com-  
type.

he old  
ed to  
or the  
pen  
miles  
on All  
vish

and staff for religious serv-  
ices and social functions.  
There were two bedrooms  
at each end of the floor  
used by maids.

The sub-basement housed the central power plant, equipped with two low pressure boilers of 15 lb. pressure rating. At a later date a furnace was installed in the area with a shaft extending to the third floor with openings on each floor utilized to rid the floors of burnable, disposable refuse. The sub-basement was equipped with a grated air vent which was not satisfactory. It did not eliminate the hazardous conditions to the furnace firemen. This grating was replaced with a thirty inch diameter steel tubular unit running the full height of the building for a good draft to get rid of the gases created by the coal fired boiler. A unit was also installed to attempt to reduce the spread of fly ash over the buildings and grounds. After this unit was installed we found it interfered with the efficiency of the boilers. The baffles in the unit were removed so the flow would continue its natural draft.

Later boilers were equipped with stacks including the leading warm extending from the coal bin to the furnace.

The next major improvement in buildings was the

main building, were heat ducts. Beside the male building, also constructed out of salvaged lumber, was erected a recreation building.

Another major accomplishment was the building of a new water system, eliminating deep wells, to use modern filtering and treatment plant for the water supply pumped from the Greenbrier River. PH tests were made daily at the main hospital building to assure purity and safety. A six inch cast iron pipe with mechanical joints was laid from the treatment plant to a 150,000 gallon steel water storage tank that was placed high enough to assure adequate gravity pressure to the hospital complex and high pressure fire hydrants. Next was constructed West Virginia's first sewage lagoon to have the most modern sewage treatment system.

A vehicle garage and mechanical shop were built next to the laundry facility.

All of the complex roadbeds, including the circular driveway in the rear of the main building, the large parking areas and parking areas for various other buildings, were constructed of crushed rocks from the Greenbrier River, utilizing prison trustee labor.

In the early 1960's the second 100 bed, three story

tory moved to the of the second w  
erous other  
and improvem  
made. The th  
the main hosp  
has never bee

Portions of  
struction, cha  
ber compar  
camp and lun  
hospital con  
complished  
supervision  
maintenance  
and prison.  
The hospital  
were all hig  
their posit  
supportive  
for change  
deletions  
to make  
operation  
as possible

My ter  
August, 19

Car Care  
The Fu  
Office of  
Office of  
Community  
offering a

Books from  
Company to  
terested in  
maintenance

To receiv  
these b  
343-8860  
toll-free 1/

Public Ser  
of W



draft to get rid of the gases created by the coal fired boiler. A unit was also installed to attempt to reduce the spread of fly ash over the buildings and grounds. After this unit was installed we found it interfered with the efficiency of the boilers. The baffles in the unit were removed so the flue would continue its natural draft.

Later boilers were equipped with stokers including the feeding worm extending from the coal bin to the furnace.

The next major improvement in buildings was the addition of a nurses home to the west of the main building. The co-designer was Mary Truss Davis, Supervisor of nurses. Included in the building was a two-room, with bath, apartment for the head nurse. Later, a compact equipped kitchen was added to this unit. A large recreation area was also at this end of the building. The nurses' rooms extended the length of the rest of the building on a central hall with rooms on each side. At the same time two cottages were built beyond the nurses building to house the superintendent and the financial secretary. These, with the nurses building, were heated by steam from the main hospital building.

The second phase of

constructed West Virginia's first sewage lagoon to have the most modern sewage treatment system.

A vehicle garage and mechanical shop were built next to the laundry facility.

All of the complex roadbeds, including the circular driveway in the rear of the main building, the large parking areas and parking areas for various other buildings, were constructed of crushed rocks from the Greenbrier River, utilizing prison trustee labor.

In the early 1950's the second 100 bed, three story high wing of the hospital building was erected, including a half basement. The basement housed a record storage room, building mechanical shop, two diesel engine powered emergency electrical generators, an autopsy room, a two-body refrigerated vault and some general short time storage in open spaces. A few months after the completion of this wing I supervised the excavating under the remainder of the building. This was done with hand labor in such a manner that the structural soundness of the building was not weakened. This portion of the basement was used for staple food storage and included a large freezer for perishable food storage.

Car Care  
The F  
Office of  
Office of  
Communi  
offering a  
Books fr  
Company  
terested  
mainten  
To rec  
these  
348-886  
toll-free

Public  
Entere  
ICE CO  
VIRGINI  
City of C  
of Septe  
CASE N  
TELEPH  
WEST V  
a corpor  
Tariff  
Snowal  
approv  
therefo  
stricted  
nured S  
Service  
ORDER

On Aug  
Utilities  
corporatio  
County.  
vised tari  
created  
approxim  
for estab  
telephone  
by 700 mil  
ion and  
areas, re  
similar S.

the forty-foot  
the dairy  
consisted of  
stalls, two  
chions and a  
next addition  
as a pasteur-  
enizing and  
equipment.  
correct to say  
first pasteur-  
Pocahontas  
g with the  
equipment  
large walk-  
maintain the  
housing. Also  
installed the  
e for storing  
hable items.  
addition to  
dies, of my  
large lofting  
feeding stall  
after milk-

W's during  
PA Admin-  
to battle  
stium build-  
people at  
accomplish  
S. Bump-  
adem, Mr.  
andial Sec-  
K. Davis,  
along with  
Col. White

kitchen was added to this  
unit. A large recreation  
area was also at this end of  
the building. The nurses'  
rooms extended the length  
of the rest of the building  
on a central hall with rooms  
on each side. At the same  
time two cottages were  
built beyond the nurses  
building to house the su-  
perintendent and the finan-  
cial secretary. these, with  
the nurses building, were  
heated by steam from the  
main hospital building.

The second phase of  
buildings was constructed  
from salvaged materials of  
mill cottages. A two story  
building with rooms for  
personnel utilizing a com-  
mon bath on each floor, a  
three-room apartment with  
bath was part of the build-  
ing. This building was heat-  
ed with a coal burning cast  
iron furnace and there was  
a furnace fired hot water  
tank.

A road was built of  
crushed rock running off  
the main road between the  
superintendent's and fi-  
nancial secretary's quarters.  
A milk barn was also  
built from salvage materi-

two-body refrigerated vault  
and some general short  
time storage in open  
spaces. A few months after  
the completion of this wing  
I supervised the excavating  
under the remainder of the  
building. This was done  
with hand labor in such a  
manner that the structural  
soundness of the building  
was not weakened. This  
portion of the basement  
was used for staple food  
storage and included a  
large freezer for perishable  
food storage.

We also revamped the  
medical operating facility,  
replacing the old X-ray  
machine with the latest  
X-ray equipment. The old  
X-ray machine was dis-  
mantled and reworked into  
a fluoroscope. The low  
pressure autoclave was re-  
placed with a modern high  
pressure five minute steri-  
lizing unit.

All things did not emerge  
without some setbacks.  
This is a case in point.  
When the planning and  
designing of the second  
wing was in progress, I, as  
the hospital complex oper-  
ations and maintenance  
supervisor, requested a

Tax  
Sex  
app  
the  
stri  
sur  
Ser  
ORD

On  
Utilit  
corpe  
Coun  
vised  
creas  
appr  
for  
telep  
ly 70  
ton  
area  
temb

By  
Aug  
order  
West  
maki  
ing.  
hear  
said  
and  
char  
until  
under  
Comm  
the c  
set  
Mar  
Mon  
The  
opini  
matte  
IT  
DERE  
matte  
Sept  
same  
m



pped with Hoff-  
dry and Dry  
products, pur-  
the U.S. Sur-  
Dunbar.  
nnel quarters  
farther down  
alize the area  
ry building to  
ersonnel. This  
J-shaped with  
ng converted  
rtments for  
he dietitian.  
the building  
ersonnel. A  
al room was  
wing into  
ed from the  
were head  
the made  
constructed  
ed lumber,  
restitution

or accom-  
he building  
r system,  
e walls, to  
ating and  
for the  
aged from  
River. Pl  
daily at the  
uilding to  
safety. A  
pipe with  
was laid  
in plan to  
heat water

was high pressure equip-  
ment and it would take a  
high pressure boiler to  
operate it.

It may seem this article  
rambles and returns, but  
not really; the accomplish-  
ments listed are chronologi-  
cal, having been completed  
in the span of 28 years.  
During my tenure at Den-  
mar many things were ac-  
complished. The installa-  
tion of safety and security  
alarm systems, inner office  
and floor communication  
systems, ice making ma-  
chines on the floors and in  
the kitchen areas, labora-  
tory moved to the basement  
of the second wing. Num-  
erous other installations  
and improvements were  
made. The third wing of  
the main hospital building  
has never been added.

Portions of the new con-  
struction, changing a lum-  
ber company's logging  
camp and lumber mill into a  
hospital complex was ac-  
complished under my  
supervision by contractors,  
maintenance personnel,  
and prison trustee labor.  
The hospital staff personnel  
were all highly qualified for  
their positions and very  
supportive of suggestions  
for changes, additions or  
deletions suggested by me

### Craft Workshops

The West Virginia Dept  
of Education's fall craf  
workshops will include in-  
struction in the unique ar  
of designing and construct  
ing religious banners.

The specialized craft, to  
be presented Sept. 30 - Oct  
2, will be taught by Conn  
Eggers, a former artist for  
Vogue Patterns, who tried  
her hand at religious ban-  
ners when the church she  
attended burned down. Us-  
ing a patchwork style, Eg-  
gers made a dramatic  
boldly-colored banner pro-  
claiming, "O Sing Unto the  
Lord a New Song," which  
was hung in the rebuilt  
church.

Other workshops during  
the Sept. 30 - Oct. 2 session  
will be devoted to bobbin  
lace, chair caning, jewelry  
photography and wheel  
weaving. The Oct. 15-17  
session will offer work-  
shops in the business o  
crafts, including bookkeep-  
ing, insurance, promotion  
and marketing. Basket join-  
ery, blacksmithing, electric  
kilo use, spinning, stained  
glass and tapestry weaving  
will be offered Oct. 28-30.

All workshops are con-  
ducted at the Cedar Lake  
Conference Center near



chins on the floors and in the kitchen areas, laboratory moved to the basement of the second wing. Numerous other installations and improvements were made. The third wing of the main hospital building has never been added.

Portions of the new construction, changing a lumber company's logging camp and lumber mill into a hospital complex was accomplished under my supervision by contractors, maintenance personnel, and prison trustee labor. The hospital staff personnel were all highly qualified for their positions and very supportive of suggestions for changes, additions or deletions proposed by me to make the hospital's operation run as smoothly as possible.

My tenure ended in August, 1957.

Winfield K. Davis

#### Car Care and Maintenance

The Fuel and Energy Office of the Governor's Office of Economic and Community Development is offering a set of 26 Answer Books from the Shell Oil Company to individuals interested in car care and maintenance.

To receive a free set of these booklets, call 545-8888 (Charleston) or toll-free 1-800-542-9012.

boldly-colored banner proclaiming, "O Sing Unto the Lord a New Song," which was hung in the rebuilt church.

Other workshops during the Sept. 30 - Oct. 2 session will be devoted to bobbin lace, chair caning, jewelry photography and wheel weaving. The Oct. 15-16 session will offer workshops in the business crafts, including bookkeeping, insurance, promotion and marketing. Basic joinery, blacksmithing, electric kiln use, spinning, stained glass and tapestry weaving will be offered Oct. 28-30.

All workshops are conducted at the Cedar Lake Conference Center near Ripley. For information call 372-6263 or 348-0216.

#### PUBLIC MEETING

##### TOWN OF HILLSBORO

The Town of Hillsboro will hold a public meeting for all interested persons to discuss the results of the waste water treatment facility planning that has been in progress for the Town of Hillsboro. The preparation of Step 1 facility plan is required under the Clean Water Act (Pub. L. 96-217) to assure orderly construction of cost effective environmentally acceptable waste water treatment systems. The facility plan presents recommendations for sewage collection and treatment systems considered necessary to meet these goals.

To help insure a successful facility process, public interest

was Dr. D. A. Cichow, his assistant was Dr. Hayden, both from Charleston. The theory of treatment then was rest, food and fresh air.

The lumber company's boarding house had been converted into a 2½ story main hospital building. The ground floor housed the kitchen, patient dining room and two office rooms. The seriously ill patients occupied the second and half story attic floors. Added to this building on the south side were sleeping quarters for patients. There was an excavation made under the building to accommodate a large cast iron sectional boiler and brick chimney.

The row of five room cottages was converted into patient quarters by connecting two with sleeping porches between. The cottages were used for lounging and dressing purposes. All patients slept on the porches with large windows that most of the time remained open. The patients were covered with heavy woolen blankets for warmth. In this row were two female cottages and two, matron supervised cottages for children.

Up from the cottage row was a small building used by the lumber company as a church. Later use was as a school. The main road into and through the grounds to the railroad was lined on both sides with company housing. The first house at the end facing the railroad was Assistant Superintendent

and roughage feeding stall area, utilized after milkings.

In the late 1930's during the PWA and WPA Administration we went to battle for a new sanitarium building. The main people at Denmar to help accomplish this feat were Dr. S. Bampfield, Superintendent, Mr. R. J. Roane, Financial Secretary, and W. K. Davis, O&M Engineer, along with J. Burdette and Col. White of the State Board of Control. After going through the legislative process, it was finally decided to match the Federal Government grant with State funds to construct the first unit. The building designed to be of three sections, a 300-bed capacity hospital. The first section housed 100 patients with the center portion of the fourth floor used as nurses quarters and extended from each side of this center section were patient sundecks. The basement level housed the kitchen and personnel dining room, a small room with a distillery for processing sterile water and a large hall which was the rear entrance to the building. This entrance was the most used as the building faced the Greenbrier River and the access road passed to the rear of the building. There was a large room intended to be used as a laundry which was split into three sections. One section was used as a commissary for sundry items sold to the patients. This was operated

three-room apartment bath was part of ing. This building ed with a coal bu iron furnace and a furnace fired tank.

A road was crushed rock r the main road b superintendent' nance secretary

A mule barn built from salv als. There wa built beside th and a small curing building ing meat.

Across from ings was built with bath resid farm supervisc hot water wer from a basem Beyond these the cemetery land adjacent land.

The laundr was contracted dries in Ron Elkins. The n phase, done labor, was a f laundry especi dering the ho The installed included the l can Laundry M ucts, consistin a medium size two person fla and four ste presses, all p 20 horsepower pressure stean building had a end storage r twenty foot e



...pugnage feeding stall  
utilized after milk-  
...late 1930's during  
...A and WPA Admin-  
...we went to battle  
...ew sanitarium build-  
...he main people at  
...to help accomplish  
...were Dr. S. Bamp-  
...superintendent, Mr.  
...ane, Financial Sec-  
...and W. K. Davis,  
...ngineer, along with  
...ette and Col. White  
...State Board of Con-  
...ter going through  
...islative process, it  
...ally decided to  
...be Federal Govern-  
...ant with State funds  
...ruct the first unit.  
...ding designed to be  
...sections, a 300-bed  
...hospital. The first  
...housed 100 patients  
...center portion of  
...th floor used as  
...quarters and ex-  
...from each side of  
...ter section were  
...sundecks. The  
...t level housed the  
...and personnel din-  
...a small room with  
...ry for processing  
...water and a large  
...ch was the rear  
...to the building.  
...ance was the most  
...the building faced  
...entrier River and  
...as road passed to  
...of the building.  
...as a large room  
...to be used as a  
...which was split into  
...tions. One section  
...as a commissary  
...ry items sold to the  
...This was operated

three-room apartment with bath was part of the building. This building was heated with a coal burning cast iron furnace and there was a furnace fired hot water tank.

A road was built of crushed rock running off the main road between the superintendent's and finance secretary's quarters.

A mule barn was also built from salvage materials. There was a hog lot built beside the mule barn and a small cutting and curing building for processing meat.

Across from these buildings was built a four-room with bath residence for the farm supervisor. Heat and hot water were generated from a basement furnace. Beyond these facilities was the cemetery on the State land adjacent to Beard land.

The laundry for years was contracted out to laundries in Ronceverte and Elkins. The next building phase, done with prison labor, was a fully equipped laundry especially for laundering the hospital items. The installed equipment included the latest American Laundry Machine products, consisting of two tubs, a medium sized extractor, a two person flat work ironer and four steam operated presses, all powered by a 20 horsepower upright high pressure steam boiler. This building had an attic and an end storage room. Later a twenty foot extension was

mantled and reworked into a fluoroscope. The low pressure autoclave was replaced with a modern high pressure five minute sterilizing unit.

All things did not emerge without some setbacks. This is a case in point.

When the planning and designing of the second wing was in progress, I, as the hospital complex operations and maintenance supervisor, requested a high pressure boiler be installed for this wing. The boiler was not installed before or during the erection of the wing. Walls had to be opened and a space dug out of the driveway in order to install this third boiler in the sub-basement of the main wing. It was noticed a low pressure boiler had been delivered. The contractor was questioned. His reply was "That is what is called for on the architect's design." The contractor installed the boiler, resealed the walls and re-finished the driveway. After a long delay hassling with the State building and contract engineers, once more the walls were opened, the driveway torn up, the low pressure boiler removed, the high pressure boiler installed, the walls and driveway returned to the original state. The end result was the State had to pay out an additional \$25,000 because some one did not heed the request of the operations and maintenance supervisor. The new equipment in the new wing

and the use of the rates and charges stated therein deferred until 12:01 a.m., January 7, 1984, unless otherwise ordered by the Commission. By this same order, the matters involved herein were set for hearing to be held in Marlinton, West Virginia, on Monday, September 26, 1983.

The Commission is now of the opinion that the hearing on this matter should be advanced.

IT IS, THEREFORE, ORDERED that the hearing on this matter originally scheduled for September 26, 1983, be, and the same hereby is, cancelled.

IT IS FURTHER ORDERED that the matters involved herein be set for hearing before Hearing Examiner Arnold O. Weiford to be held in the Circuit Court Room Pocahontas County Court House, Marlinton, West Virginia, on Friday, September 16, 1983, at 11:00 a.m., EDST., at which time and place the respondent shall appear and offer evidence in support of its aforesaid increased rates and charges and anyone interested may appear and make such objection thereto as may be deemed proper.

IT IS FURTHER ORDERED that the respondent, Telephone Utilities of West Virginia, Inc., a corporation, give notice of filing of the aforesaid tariff and the time and place of the advanced hearing thereon, by placing a copy of this order in conspicuous places where bills for telephone service are paid for a period of at least seven (7) days prior to September 16, 1983, for public inspection, and by publishing a copy of this order (instead of the August 31, 1983 order) one week for two (2) successive weeks between the date hereof and September 16, 1983, in a newspaper, duly qualified by the Secretary of State, published of general circulation in Pocahontas County, making due reference thereof to the Commission before the day of hearing.

FOR THE COMMISSION:  
HOWARD M. CUNNINGHAM  
Executive Secretary



red and reworked into  
oroscope. The low  
ure autoclave was re-  
d with a modern high  
ure five minute steri-  
unit.

things did not emerge  
at some setbacks.  
is a case in point.

the planning and  
ing of the second  
was in progress, I, as  
spital complex oper-  
and maintenance  
visor, requested a

pressure boiler be  
ed for this wing. The

was not installed  
or during the erec-  
the wing. Walls had

opened and a space  
at of the driveway in  
to install this third

in the sub-basement  
main wing. It was

d a low pressure boil-  
been delivered. The

ctor was questioned.  
ply was "That is what  
ed for on the archi-

design." The con-  
r installed the boiler,

ed the walls and re-  
ed the driveway.

a long delay hassling  
he State building and

art engineers, once  
the walls were open-

the driveway torn up,  
low pressure boiler

ved, the high pressure  
r installed, the walls

driveway returned to  
iginal state. The end

was the State had to  
out an additional

(\$10) because some one  
at hand the request of  
operations and mainte-  
supervisor. The new  
ment in the new wing

and the use of the rates and  
charges stated therein deferred  
until 12:01 a.m., January 7, 1984,  
unless otherwise ordered by the  
Commission. By this same order,  
the matters involved herein were  
set for hearing to be held in  
Marlinton, West Virginia, on  
Monday, September 26, 1983.

The Commission is now of the  
opinion that the hearing on this  
matter should be advanced.

IT IS, THEREFORE, OR-  
DERED that the hearing on this  
matter originally scheduled for  
September 26, 1983, be, and the  
same hereby is, cancelled.

IT IS FURTHER ORDERED  
that the matters involved herein  
be set for hearing before Hearing  
Examiner Arnold O. Weiford to be  
held in the Circuit Court Room,  
Pocahontas County Court House,  
Marlinton, West Virginia, on Fri-  
day, September 16, 1983, at 11:00  
a.m., EDST., at which time and  
place the respondent shall appear  
and offer evidence in support of  
its aforesaid increased rates and  
charges and anyone interested  
may appear and make such objec-  
tion thereto as may be deemed  
proper.

IT IS FURTHER ORDERED  
that the respondent, Telephone  
Utilities of West Virginia, a  
corporation, give notice of the  
filing of the aforesaid tariff and of  
the time and place of the ad-  
vanced hearing thereon, by post-  
ing a copy of this order in  
conspicuous places where bills for  
telephone service are paid for a  
period of at least seven (7) days  
prior to September 16, 1983, for  
public inspection, and by publish-  
ing a copy of this order (instead of  
the August 31, 1983 order) once a  
week for two (2) successive weeks,  
between the date hereof and  
September 16, 1983, in a news-  
paper, duly qualified by the  
Secretary of State, published and  
of general circulation in Pocahon-  
tas County, making due return  
thereof to the Commission on or  
before the day of hearing.

FOR THE COMMISSION:

HOWARD M. CUNNINGHAM

Executive Secretary

ing to treatment of beneficiaries  
and participants including rates,  
conditions and extension of serv-  
ice, use of any of its facilities,  
attendance at and participation in  
any meetings of beneficiaries and  
participants or the exercise of any  
rights of such beneficiaries and  
participants in the conduct of the  
operations of this organization.

Any person who believes him-  
self, or any specific class of  
individuals, to be subjected by  
this organization to discrimination  
prohibited by Title VI of the Act  
and the Rules and Regulations  
issued thereunder may, by him-  
self or a representative, file with  
the Secretary of Agriculture,  
Washington, D. C. 20250, or the  
Rural Electrification Administra-  
tion, Washington, D. C. 20250, or  
this organization, or all, a written  
complaint. Such complaint must be  
filed not later than 180 days after  
the alleged discrimination, or by  
such later date to which the  
Secretary of Agriculture or the  
Rural Electrification Administra-  
tion extends the time for filing.  
Identity of complainants will be  
kept confidential except to the  
extent necessary to carry out the  
purposes of the Rules and Regula-  
tions.

9-15-1

#### Notice of Filing of Estate Accounts

I have before me the accounts of  
the Fiduciary of the Estate of

Martha J. Lovelace

Any person having a claim against  
the estate of such deceased per-  
son, or who has any beneficial  
interest therein, may appear be-  
fore me or the county commission  
at any time within thirty days after  
first publication of this notice, and  
request reference of said estate to  
a fiduciary commissioner, or ob-  
ject to confirmation of said ac-  
counting. In the absence of such  
request or objection, the account-  
ing may be approved by the  
county commission.

Given under my hand, this  
the 7th day of September, 1983.

Hildreth T. Meadows

Clerk of the County Commission  
of Pocahontas County,

9-15-3

West Virginia  
By Patricia Dunbrack, Deputy